RAYHER HOBBY GmbH

Überzugslack

Revision date: 05.04.2016 Revision No: 1,0

Product code: 00159-0159

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Überzugslack

#### Further trade names

Article number: 2173300, 22658000

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lacquer

#### 1.3. Details of the supplier of the safety data sheet

Company name: RAYHER HOBBY GmbH

 Street:
 Fockestraße 15

 Place:
 D-88471 Laupheim

 Telephone:
 +49 (0) 7392/7 00 5-0

 Telefax:
 +49 (0) 7392/7 00 5-48

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24

24

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements: Causes skin irritation. Causes serious eye irritation.

#### 2.2. Label elements

Signal word: Warning

Pictograms:



## **Hazard statements**

H315 Causes skin irritation. H319 Causes serious eye irritation.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to in accordance with local and national regulations.

#### 2.3. Other hazards

Not known.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

RAYHER HOBBY GmbH

Überzugslack

Revision date: 05.04.2016

Revision No: 1,0

Product code: 00159-0159

#### **Chemical characterization**

Mixture containing following substances with additives

## **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
108-01-0	2-dimethylaminoethanol				
	203-542-8	603-047-00-0	01-2119492298-24		
	Flam. Liq. 3, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H226 H331 H312 H302 H314 H335				

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

## **General information**

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

#### After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

In the event of persistent symptoms receive medical treatment.

# After contact with skin

Wash off with soap and plenty of water.

Do not use solvents or thinners.

Consult a doctor if skin irritation persists.

## After contact with eyes

Remove contact lens.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If eye irritation persists, consult a specialist.

# After ingestion

Do not induce vomiting.

Never give anything by mouth to an unconscious person.

Rinse out mouth and give plenty of water to drink.

Consult a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

Causes skin irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

# Unsuitable extinguishing media

Full water jet.

# $\underline{\textbf{5.2. Special hazards arising from the substance or mixture}}$

Fire may produce:

carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx)

## 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.

RAYHER HOBBY GmbH

Überzugslack

Revision date: 05.04.2016 Product code: 00159-0159 Revision No: 1,0

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

Should not be released into the environment.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

#### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with eyes, skin or mucous membrane.

When using do not eat, drink or smoke.

## Advice on protection against fire and explosion

No special protective measures against fire required.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Protect from heat and direct solar radiation.

Keep from freezing.

Recommended storage temperature: 5 - 25°C

# Advice on storage compatibility

Incompatible with:

Acids and bases.

Strong oxidizing agents.

#### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

Lacquer

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
108-01-0	2-Dimethylaminoethanol	2	7.4		TWA (8 h)	WEL
		6	22		STEL (15 min)	WEL

## 8.2. Exposure controls

## Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

## Protective and hygiene measures

Avoid contact with eyes and skin.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

RAYHER HOBBY GmbH

Überzugslack

Revision date: 05.04.2016

Revision No: 1,0

Product code: 00159-0159

Take off immediately all contaminated clothing.

## Eye/face protection

Safety goggles with side protection (EN 166).

#### Hand protection

Protective gloves resistant to chemicals made of nitrile, Minimum coat thickness 0.4 mm, Permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Camatril Profi 729> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

## Skin protection

Long sleeved clothing (EN 368).

# Respiratory protection

No personal respiratory protective equipment normally required.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: Milky

Odour: Characteristic

## Changes in the physical state

Melting point: n.d. Initial boiling point and boiling range: n.d.

Flash point: n.a. DIN 53213

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

Vapour pressure:

n.d.

n.d.

value:

n.d.

Density (at 20 °C): 1,0 g/cm³ DIN 53217

Water solubility: Miscible

(at 20 °C)

Flow time: 150 s Flow time in a 3 mm cup

(at 23 °C)

#### 9.2. Other information

No data available.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No decomposition if stored and applied as directed.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents

## 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Keep from freezing.

# 10.5. Incompatible materials

Acids and bases.

Strong oxidizing agents.

## 10.6. Hazardous decomposition products

Carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx)

RAYHER HOBBY GmbH

Überzugslack

Revision date: 05.04.2016 Product code: 00159-0159 Revision No: 1,0

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

# Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecological data are not available.

## 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

## 12.6. Other adverse effects

Low hazard to waters.

#### **Further information**

Do not flush into surface water or sanitary sewer system.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

Can be landfilled after concentration, when in compliance with local regulations.

#### Waste disposal number of waste from residues/unused products

200128

MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20

01 27

# Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be

RAYHER HOBBY GmbH

Überzugslack

Revision date: 05.04.2016 Product code: 00159-0159 Revision No: 1,0

taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

#### **SECTION 14: Transport information**

# Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO-TI/IATA-DGR); Inland waterways transport (ADN):

#### 14.1. UN number:

No hazardous material as defined by the transport regulations.

#### 14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

#### 14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

## 14.4. Packing group:

No hazardous material as defined by the transport regulations.

#### 14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

#### 14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No hazardous material as defined by the transport regulations.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

2004/42/EC (VOC): 2,07 %; 20,7 g/l

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

## 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

## Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

**RAYHER HOBBY GmbH** 

Überzugslack

Revision date: 05.04.2016 Revision No: 1.0

Product code: 00159-0159

#### Relevant H and EUH statements (number and full text)

Rolovant il ana Eori otatomonto (nambol ana lan toxt)				
H226	Flammable liquid and vapour.			
H302	Harmful if swallowed.			
H312	Harmful in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H319	Causes serious eye irritation.			
H331	Toxic if inhaled.			
H335	May cause respiratory irritation.			

#### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)