



## Tutorial Bracelet « K'Line » © par PUCA®

---



Made by Puca



---

April 2022 © Puca  
[www.perlepuca.canalblog.com](http://www.perlepuca.canalblog.com)  
PUCA© All rights reserved



Material : 18cm


- 39 Baros® par Puca®
- 78 Konos® par Puca®
- Seed beads 15/0 (R15)
- 2 spacer bars 3 to 1
- Crimp beads 2mm ø
- 6 x 3mm ø crimp covers
- 6 x 5mm wire guardian
- beading wire 0,38 mm ø
- 1 lobster clasp
- 1 x 4mm ø ring
- 1 x 5mm ø split ring



1) Picture of the material

2) Pick up 1 wire guardian on the 1st hole of the spacer bar

3) Add your beading wire like picture



4) Place your 2 beading wires into 1 crimp bead. Crush the crimp bead



5) Place 1 crimp cover on your crimp bead



6) Close the crimp cover



7) Pick up on the 2 beading wires 1 Konos, 1 Baros, 1 Konos, 1 R15. We work now only with one beading wire



8) Pick up 1 Konos, 1 Baros, 1 Konos, 1 R15, repeat for the length of the pattern until you have used a total of 26 Konos and 16 Baros



9) Repeat steps 2 to 6 to close your first row. Cut the single beading wire



10) Repeat all steps to bead your 3 rows



11) Place 1 split ring on one spacer bar



12) Place 1 ring and one lobster clasp on the other spacer bar



13) You can twist your bracelet to give another style



14) Congratulations! You have finished your K'Line bracelet !

Happy beading!  
Thank you for respecting my work ©

